80A SERIES：LOW PROFILE CASTER

80A系列：低重心冰柜轮

80A-S-NL

80A-R-NL

80A-STB-NL

80A	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
1. 25"	30x30	66x48	50x34	6.3	/	/	3/2.5	49	130
1. 5"	40x30	66x48	50x34	6.3	/	/	3/2.5	58	150

80B SERIES：LOW PROFILE CASTER

80B系列：低重心冰柜轮

80B-S-NL

80B-T-NL

80B	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
1"	45x25	83x58	68x41	6.5	M12x35	/	3/2.5	40	100
1. 2"	45x30	83x58	68x41	6.5	M12x35	/	3/2.5	45	120

82 SERIES：PP LOW PROFILE CASTER

82系列：PP牛仔低重心轮

82-S-PP

82-R-PP

82-STB-PP

82-SLB-PP

82-T-PP

82-TB-PP

82-H-PP

82-HTB-PP

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
1.5"	40x30	66x50	49.2x32.3	6x8.2	M12x30	M12	2.3/2	62	70
2"	50x30	72x54	55.5x38	7x9	M12x30	M12	2.3/2.3	73	80
2.5"	65x40	94x68	72x43.4	9.1x12	M12x30	M12	3/3	92	180
3"	75x45	105x80	82.8x60	9x11	M12x30	M12	3.5/3	105	250

83 SERIES: STAINLESS STEEL LOW PROFILE CASTER

83系列：不锈钢巨无霸低重心轮

83-S-NL

83-R-NL

83-STB-NL

83K SERIES: LOW PROFILE HEAVY DUTY CASTER

83K系列：巨无霸低重心脚轮

83K-S-PA

83K-R-PA

83K-STB-PA

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x38	84x84	64x64	8.5x17	/	/	4/2.5	78	300
2.5"	65x50	100x100	80x80	11x12.5	/	/	4/3	95	400
3"	75x50	100x100	80x80	11x12.5	/	/	4/3.5	105	500

88 SERIES: DOUBLE WHEEL LOW PROFILE CASTER

88系列：低重心双轮

88A-S-NL

88A-R-NL

88B-S-NL

88B-R-NL

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
1.5"	40x50	95x65	75x45	8.5	/	/	3/3	62	150
2"	50x50	95x65	75x45	8.5	/	/	3/3	72	180
2.5"	63x50	95x65	75x45	8.5	/	/	3/3	85	200
3"	75x50	95x65	75x45	8.5	/	/	/	99	250

85 SERIES: LOW PROFILE CASTER

85系列：低重心尼龙轮

85-S-PA

85-R-PA

85-STB-PA

85-T-PA

85-TB-PA

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	54x50	110x82	86x60 76x56	16x11	M12x35	/	5/4	85	400
2.5"	65x50	110x82	86x60 76x56	16x11	M12x35	/	5/4	96	550
3"	75x50	110x82	86x60 76x56	16x11	M12x35	/	5/4	108	600
4"	100x50	110x82	86x60 76x56	16x11	M12x35	/	5/4	134	900

87 SERIES: LOW PROFILE CASTER

87系列：低重心尼龙轮

87-S-PA

87-R-PA

87-STB-PA

87-T-PA

87-TB-PA

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2.5"	65x50	110x82	86x60	13.5x10.5	M20X40	/	4.5/3	95	650
3"	75x50	110x82	86x60	13.5x10.5	M20X40	/	4.5/3	105	750

85L SERIES: LOW PROFILE LEVELING ADJUSTMENT CASTER

85L系列：低重心水平调节轮

85L-S-PA

85L-R-PA

85L-T-PA

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	54x50	110x82	86x60 76x56	16x11	M14	/	5/4	85	400
2.5"	65x50	110x82	86x60 76x56	16x11	M14	/	5/4	96	550
3"	75x50	110x82	86x60 76x56	16x11	M14	/	5/4	108	600

86 SERIES: LOW PROFILE LEVELING ADJUSTMENT CASTER

86系列：低重心水平调节轮

86-AD-S-PA

86-AS-S-PA

86-AD	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x45	80x80	58x58	8.5x12	/	/	4/3.5	80	300
2.5"	65x45	80x80	58x58	8.5x12	/	/	4/3.5	95	350
3"	75x45	80x80	58x58	8.5x12	/	/	4/3.5	105	400

86-AS	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2.5"	65x50	100x100	72x72	12.5x8.5	/	/	5/3.5	108	400
3"	75x50	100x100	72x72	12.5x8.5	/	/	5/3.5	114	500

89 SERIES: LOW PROFILE HEAVY DUTY CASTER

89系列：日式加厚低重心脚轮

89-S-NL

89-R-NL

89-STB-NL

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
3"	75x58	110x90	85x61	13.5x11	/	/	6/5	109	1200
4"	100x58	110x90	85x61	13.5x11	/	/	6/5	134	1200
5"	125x58	110x90	85x61	13.5x11	/	/	6/5	159	1500

83XS SERIES: LOW PROFILE HEAVY DUTY CASTER

83XS系列：低重心脚轮

83XS-S-NL

83XS-R-NL

83X-SLB-NL

83XS-STB-NL

83XS	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2.5"	65x46	110x85	86x60	11	/	/	5.5/5.5	95	450
3"	75x46	110x85	86x60	11	/	/	5.5/5.5	105	500